

INDEX OF AUTHORS

VOLUME 74 (EP), 1989

(The numbers followed by P refer to abstracts from Society Proceedings)

- Achim, A., see Richer, F., 202
Adamson, J., Zappulla, R.A., Fraser, A., Ryder, J. and Malis, L.I., Effects of selective spinal cord lesions on the spinal motor evoked potential (MEP) in the rat, 469
Addy, R.O., Dinner, D.S., Lüders, H., Lesser, R.P., Morris, H.H. and Wyllie, E., The effects of sleep on median nerve short latency somatosensory evoked potentials, 105
Alain, C., see Richer, F., 202
Amassian, V.E., see Cracco, R.Q., 417
Amassian, V.E., Cracco, R.Q. and Maccabee, P.J., Focal stimulation of human cerebral cortex with the magnetic coil: a comparison with electrical stimulation, 401
Amassian, V.E., Cracco, R.Q., Maccabee, P.J., Cracco, J.B., Rudell, A. and Eberle, L., Suppression of visual perception by magnetic coil stimulation of human occipital cortex, 458
Attias, J., see Sohmer, H., 50
Babiloni, F., see Rossini, P.M., 277
Balogh, S.E., see Fitzpatrick, D.F., 95
Banerji, N.K., see Papakostopoulos, D., 1
Bernardi, G., see Rossini, P.M., 277
Bissenden, J.G., see Harding, G.F.A., 76
Bladin, P.F., see Puce, A., 385
Blanke, L., see Dembon, H., 46
Bloch, M., see Eisen, A., 444
Bohlega, S., see Eisen, A., 444
Born, J., Schwab, R., Pietrowsky, R., Pauschinger, P. and Fehm, H.L., Glucocorticoid influences on the auditory brain-stem responses in man, 209
Bouvier, G., see Richer, F., 202
Bressler, S.L., see Gevins, A.S., 58, 147
Browne, J.K., see Seyal, M., 271
Buchwald, J.S., Erwin, R.J., Read, S., Van Lancker, D. and Cummings, J.L., Midlatency auditory evoked responses: differential abnormality of P1 in Alzheimer's disease, 378
Cahani, M., see Sohmer, H., 50
Caramia, M.D., see Opsomer, R.J., 260
Cecchi, L., see Rossini, P.M., 277
Chalklin, V., see Desmedt, J.E., 359
Chalklin, V., see Tomberg, C., 347
Chiappa, K.H., see Tan, C.B., 11
Chu, N.-S., Motor evoked potentials with magnetic stimulation: correlations with height, 481
Claus, D., see Smith, S.J.M., 438
Cohen, L.G., see Wang, J., 112
Cracco, J.B., see Amassian, V.E., 458
Cracco, J.B., see Cracco, R.Q., 417
Cracco, R.Q., see Amassian, V.E., 401, 458
Cracco, R.Q., Amassian, V.E., Maccabee, P.J. and Cracco, J.B., Comparison of human transcallosal responses evoked by magnetic coil and electrical stimulation, 417
Cummings, J.L., see Buchwald, J.S., 378
Cutillo, B.A., see Gevins, A.S., 58
Cutillo, B.A., see Gevins, A.S., 147
Dean Hart, J.C., see Papakostopoulos, D., 1
Dembon, H., Hohnsbein, J., Blanke, L. and Falkenstein, M., Improved amplitude evaluation of the frequency following response (FFR), 46
Desmedt, J.E. and Chalklin, V., New method for titrating differences in scalp topographic patterns in brain evoked potential mapping, 359
Desmedt, J.E. and Tomberg, C., Mapping early somatosensory evoked potentials in selective attention: critical evaluation of control conditions used for titrating by difference the cognitive P30, P40, P100 and N140, 321
Desmedt, J.E., see Tomberg, C., 347
Deuschl, G., Ludolph, A., Schenck, E. and Lücking, C.H., The relations between long-latency reflexes in hand muscles, somatosensory evoked potentials and transcranial stimulation of motor tracts, 425
De Vries, M., Van Dijk, B. and Spekrijse, H., Motion onset-offset VEPs in children, 81
Dinner, D.S., see Addy, R.O., 105
Dobie, R.A., see Palaskas, C.W., 399
Donnan, G.A., see Puce, A., 385
Dull, S., see Konrad, P.E., 463
Eberle, L., see Amassian, V.E., 458
Edgar, M.A., see Halonen, J.-P., 161

- Eisen, A., Bohlega, S., Bloch, M. and Hayden, M., Silent periods, long-latency reflexes and cortical MEPs in Huntington's disease and at-risk relatives, 444
- Elger, C.E., see Masur, H., 450
- Erwin, R.J., see Buchwald, J.S., 378
- Fahrendorf, G., see Masur, H., 450
- Falkenstein, M., see Dembon, H., 46
- Favale, E., see Leandri, M., 367
- Fehlings, M.G., Tator, C.H. and Linden, R.D., The relationships among the severity of spinal cord injury, motor and somatosensory evoked potentials and spinal cord blood flow, 241
- Fehm, H.L., see Born, J., 209
- Fitzpatrick, D.F., Hendricks, S.E., Graber, B., Balogh, S.E. and Wetzell, M., Somatosensory evoked potentials elicited by dorsal penile and posterior tibial nerve stimulation, 95
- Fotiou, F., see Papakostopoulos, D., 1
- Fraser, A., see Adamson, J., 469
- Fukui, M., see Morioka, T., 186
- Geddes, L.A., see Konrad, P.E., 463
- Gevens, A.S., Bressler, S.L., Morgan, N.H., Cutillo, B.A., White, R.M., Greer, D.S. and Illes, J., Event-related covariances during a bimanual visuomotor task. I. Methods and analysis of stimulus- and response-locked data, 58
- Gevens, A.S., Cutillo, B.A., Bressler, S.L., Morgan, N.H., White, R.M., Illes, J. and Greer, D.S., Event-related covariances during a bimanual visuomotor task. II. Preparation and feedback, 147
- Gold, S., see Sohmer, H., 50
- Gott, P.S. and Hughes, E.C., Effect of noise masking on the brain-stem and middle-latency auditory evoked potentials: central and peripheral components, 131
- Graber, B., see Fitzpatrick, D.F., 95
- Greer, D.S., see Gevins, A.S., 58, 147
- Grose, J., see Harding, G.F.A., 76
- Hallett, M., see Wang, J., 112
- Hallström, Y.T., Lindblom, U., Meyerson, B.A. and Prevec, T.S., Epidurally recorded cervical spinal activity evoked by electrical and mechanical stimulation in pain patients, 175
- Halonen, J.-P., see Jones, S.J., 36
- Halonen, J.-P., Jones, S.J., Edgar, M.A. and Ransford, A.O., Conduction properties of epidurally recorded spinal cord potentials following lower limb stimulation in man, 161
- Hämäläinen, M., see Loveless, N., 217
- Hämäläinen, M., see Tiihonen, J., 290
- Harding, G.F.A., Grose, J., Wilton, A. and Bissenden, J.G., The pattern reversal VEP in short-gestation infants, 76
- Hari, R., see Loveless, N., 217
- Hari, R., see Tiihonen, J., 290
- Hayden, M., see Eisen, A., 444
- Hendricks, S.E., see Fitzpatrick, D.F., 95
- Hess, C.W., see Schrieffer, T.N., 431
- Hess, C.W., see Smith, S.J.M., 438
- Hohnsbein, J., see Dembon, H., 46
- Hughes, E.C., see Gott, P.S., 131
- Ikeda, A., see Kakigi, R., 139
- Illes, J., see Gevins, A.S., 58, 147
- Jacobson, G.P. and Newman, C.W., Absence of rate-dependent BAEP P₅ latency changes in patients with definite multiple sclerosis: possible physiological mechanisms, 19
- Jeanmonod, D., Sindou, M. and Mauguière, F., Three transverse dipolar generators in the human cervical and lumbosacral dorsal horn: evidence from direct intraoperative recordings on the spinal cord surface, 236
- Johnson, P.B., see Rossini, P.M., 277
- Jones, S.J., see Halonen, J.-P., 161
- Jones, S.J., Halonen, J.-P. and Shawkat, F., Centrifugal and centripetal mechanisms involved in the 'gating' of cortical SEPs during movement, 36
- Kakigi, R., Short-latency somatosensory evoked potentials following median nerve stimulation in Down's syndrome, 88
- Kakigi, R., Shibasaki, H. and Ikeda, A., Pain-related somatosensory evoked potentials following CO₂ laser stimulation in man, 139
- Kato, M., see Morioka, T., 186
- King, P.J.L., see Tan, C.B., 11
- Konrad, P.E., Geddes, L.A., Tacker, Jr., W.A., Reuter, D., Schooler, D. and Dull, S., Existence of a strength-duration curve for spinal cord motor evoked potentials in cats, 463
- Leandri, M., Parodi, C.I. and Favale, E., Early scalp responses evoked by stimulation of the supraorbital nerve in man, 367
- Lesser, R.P., see Addy, R.O., 105
- Lindblom, U., see Hallström, Y.T., 175
- Linden, R.D., see Fehlings, M.G., 241
- Loveless, N., Hari, R., Hämäläinen, M. and Tiihonen, J., Evoked responses of human auditory cortex may be enhanced by preceding stimuli, 217
- Lücking, C.H., see Deuschl, G., 425
- Lüders, H., see Addy, R.O., 105
- Ludolph, A., see Deuschl, G., 425
- Ludolph, A.C., see Masur, H., 450
- Maccabee, P.J., see Amassian, V.E., 401, 450
- Maccabee, P.J., see Cracco, R.Q., 417
- Malentacca, A., see Rossini, P.M., 277
- Malis, L.I., see Adamson, J., 469
- Masur, H., Elger, C.E., Render, K., Fahrendorf, G. and Ludolph, A.C., Functional deficits of central sensory and motor pathways in patients with cervical spinal stenosis: a study of SEPs and EMG responses to non-invasive brain stimulation, 450
- Mauguière, F., see Jeanmonod, D., 236
- McPherson, D.L., Tures, C. and Starr, A., Binaural interaction of the auditory brain-stem potentials and middle latency auditory evoked potentials in infants and adults, 124
- Meyerson, B.A., see Hallström, Y.T., 175
- Mills, K.R., see Schrieffer, T.N., 431
- Mills, K.R., see Smith, S.J.M., 438
- Morgan, N.H., see Gevins, A.S., 58, 147

- Morioka, T., Shima, F., Kato, M. and Fukui, M., Origin and distribution of thalamic somatosensory evoked potentials in humans, 186
- Morris, H.H., see Addy, R.O., 105
- Murray, N.M.F., see Schrieffer, T.N., 431
- Murray, N.M.F., see Smith, S.J.M., 438
- Nardone, A. and Schieppati, M., Influences of transcutaneous electrical stimulation of cutaneous and mixed nerves on subcortical and cortical somatosensory evoked potentials, 24
- Neer, C.M., see Thomas, D.G., 228
- Newman, C.W., see Jacobson, G.P., 19
- Nguyen, T.H., see Tomberg, C., 347
- Opsomer, R.J., Caramia, M.D., Zarola, F., Pesce, F. and Rossini, P.M., Neurophysiological evaluation of central-peripheral sensory and motor pudendal fibres, 260
- Ozaki, I., see Tomberg, C., 347
- Palaskas, C.W., Dobie, R.A. and Wilson, M.J., Cross-correlation of the frequency-following response, 399
- Papakostopoulos, D., Fotiou, F., Dean Hart, J.C. and Banerji, N.K., The electroretinogram in multiple sclerosis and demyelinating optic neuritis, 1
- Parodi, C.I., see Leandri, M., 367
- Pauschinger, P., see Born, J., 209
- Pesce, F., see Opsomer, R.J., 260
- Pietrowsky, R., see Born, J., 209
- Polich, J., P300 from a passive auditory paradigm, 312
- Prevec, T.S., see Hallström, Y.T., 175
- Price, J.M., see Thomas, D.G., 228
- Puce, A., Donnan, G.A. and Bladin, P.F., Comparative effects of age on limbic and scalp P3, 385
- Ransford, A.O., see Halonen, J.-P., 161
- Read, S., see Buchwald, J.S., 378
- Render, K., see Masur, H., 450
- Reuter, D., see Konrad, P.E., 463
- Richer, F., Alain, C., Achim, A., Bouvier, G. and Saint-Hilaire, J.-M., Intracerebral amplitude distributions of the auditory evoked potential, 202
- Rossini, P.M., Babiloni, F., Bernardi, G., Cecchi, L., Johnson, P.B., Malentacca, A., Stanzione, P. and Urbano, A., Abnormalities of short-latency somatosensory evoked potentials in parkinsonian patients, 277
- Rossini, P.M., see Opsomer, R.J., 260
- Rothberger, V.L., see Walsleben, J.A., 297
- Rudell, A., see Amassian, V.E., 458
- Ryder, J., see Adamson, J., 469
- Saint-Hilaire, J.-M., see Richer, F., 202
- Schenck, E., see Deuschl, G., 425
- Schieppati, M., see Nardone, A., 24
- Schmid, C., see Zihl, J., 394
- Schneider, W., see Watanabe, E., 194
- Schooler, D., see Konrad, P.E., 463
- Schramm, J., see Watanabe, E., 194
- Schrieffer, T.N., Hess, C.W., Mills, K.R. and Murray, N.M.F., Central motor conduction studies in motor neurone disease using magnetic brain stimulation, 431
- Schrieffer, T., see Smith, S.J.M., 438
- Schwab, R., see Born, J., 209
- Seyal, M. and Browne, J.K., Short latency somatosensory evoked potentials following mechanical taps to the face. Scalp recordings with a non-cephalic reference, 271
- Shawkat, F., see Jones, S.J., 36
- Shibasaki, H., see Kakigi, R., 139
- Shima, F., see Morioka, T., 186
- Sindou, M., see Jeanmonod, D., 236
- Smith, S.J.M., Claus, D., Hess, C.W., Mills, K.R., Murray, N.M.F. and Schrieffer, T., F responses and central motor conduction in multiple sclerosis, 438
- Sohmer, H., Gold, S., Cahani, M. and Attias, J., Effects of hypothermia on auditory brain-stem and somatosensory evoked responses. A model of a synaptic and axonal lesion, 50
- Spekreijse, H., see De Vries, M., 81
- Squires, N.K., see Walsleben, J.A., 297
- Stanzione, P., see Rossini, P.M., 277
- Starr, A., see McPherson, D.L., 124
- Tacker, Jr., W.A., see Konrad, P.E., 463
- Tan, C.B., King, P.J.L. and Chiappa, K.H., Pattern ERG: effects of reference electrode site, stimulus mode and check size, 11
- Tator, C.H., see Fehlings, M.G., 241
- Thomas, D.G., Neer, C.M. and Price, J.M., Analyses of single-trial N1 amplitude and latency variability and their influence on the average evoked potential, 228
- Tiihonen, J., Hari, R. and Hämäläinen, M., Early deflections of cerebral magnetic responses to median nerve stimulation, 290
- Tiihonen, J., see Loveless, N., 217
- Tomberg, C., see Desmedt, J.E., 321
- Tomberg, C., Desmedt, J.E., Ozaki, I., Nguyen, T.H. and Chalklin, V., Mapping somatosensory evoked potentials to finger stimulation at intervals of 450 to 4000 msec and the issue of habituation when assessing early cognitive components, 347
- Tures, C., see McPherson, D.L., 124
- Urbano, A., see Rossini, P.M., 277
- Van Dijk, B., see De Vries, M., 81
- Van Lancker, D., see Buchwald, J.S., 378
- Walsleben, J.A., Squires, N.K. and Rothberger, V.L., Auditory event-related potentials and brain dysfunction in sleep apnea, 297
- Wang, J., Cohen, L.G. and Hallett, M., Scalp topography of somatosensory evoked potentials following electrical stimulation of femoral nerve, 112

Watanabe, E., Schramm, J. and Schneider, W., Effect of a subdural air collection on the sensory evoked potential during surgery in the sitting position, 194

Wetzel, M., see Fitzpatrick, D.F., 95

White, R.M., see Gevins, A.S., 58, 147

Wilson, M.J., see Palaskas, C.W., 399

Wilton, A., see Harding, G.F.A., 76

Wyllie, E., see Addy, R.O., 105

Zappulla, R.A., see Adamson, J., 469

Zarola, F., see Opsomer, R.J., 260

Zihl, J. and Schmid, C., Use of visually evoked responses in evaluation of visual blurring in brain-damaged patients, 394

INDEX OF SUBJECTS

VOLUME 74 (EP), 1989

(Abstracts from Society Proceedings are not included)

Age

- effects on limbic and scalp P3, 385

Alzheimer's disease

- P1 abnormality of AEPs, 378

Amplitude analysis

- of the frequency-following response, 46

Apnea syndrome

- auditory ERPs in sleep apnea, 297

Attention

- mapping early SEPs in selective attention, 321

Auditory brain-stem potentials

- absent P5 rate changes in multiple sclerosis, 19
- binaural interaction in term infants and adults, 124
- effects of noise masking, 131
- human BAEPs under hydrocortisone, 209
- hypothermia effects, 50

Auditory evoked potentials

- amplitude analysis of the frequency-following response, 46
- binaural interaction in term infants and adults, 124
- cross-correlation of the frequency-following response, 399
- effect of age on limbic and scalp P3, 385
- effect of noise masking, 131
- effect of subdural air collection, 194
- ERPs in sleep apnea, 297
- facilitation of auditory evoked magnetic fields, 217
- intracerebral amplitude distributions, 202
- P1 abnormality in Alzheimer's disease, 378
- P300 from a passive auditory paradigm, 312
- single-trial EP amplitude and latency variability, 228

Average reference

- comparison of scalp topographic patterns, 359

Axonal function

- hypothermia effect on BAEPs and SEPs, 50
- SCBF and axonal function after cord injury, 241

BAEPs, *see* Auditory brain-stem potentials

Binaural interaction

- in term infants and adults, 124

Blood flow

- SCBF and axonal function after cord injury, 241

Book reviews, 486

Brain-stem

- P1 abnormality of AEPs in Alzheimer's disease, 378

Brain-stem potentials, *see* Auditory brain-stem potentials

Cervical cord

- cervical spinal SEPs in pain patients, 175
- functional deficit in cervical spinal stenosis, 450
- 3 transverse dipolar generators in human dorsal cord, 236

Cholinergic system

- P1 abnormality of AEPs in Alzheimer's disease, 378

Cognition

- interstimulus intervals and habituation of SEP, 347
- mapping early SEPs in selective attention, 321

Conduction

- central motor conduction and magnetic stimulation, 431
- central motor conduction and excitability in MS, 438
- conduction of spinal cord potentials in man, 161
- functional deficit in cervical spinal stenosis, 450
- peripheral and central pudendal nerve conduction, 260
- transcranial stimulation of the motor tracts, 425

Contingent negative variation

- event-related covariances: preparation and feedback, 147

Corpus callosum

- electrical and magnetic cortical stimulation, 417

Cortisol

- human BAEPs under hydrocortisone, 209

Cutaneous interference effect

- cortical SEP 'gating' during movement, 36

Daytime sleepiness

- auditory ERPs in sleep apnea, 297

Demyelination

- intracerebral amplitude distributions of AEPs, 202
- origin and distribution of thalamic SEPs, 186

Depth electrodes

- effects of age on limbic and scalp P3, 385
- origin and distribution of thalamic SEPs, 186

Development

- motion onset-offset VEPs in children, 81
- pattern reversal VEP in premature babies, 76

Diagnosis

- SCBF and axonal function after cord injury, 241

Down's syndrome

- median nerve stimulation and SEPs, 88

- Pudendal nerve
 - peripheral and central conduction, 260
- P300
 - event-related covariances, 58, 147
 - from a passive auditory paradigm, 312
 - preparation and feedback, 147
 - stimulus and response, 58
- Quantitative comparison
 - of scalp topographic patterns, 359
- Rate effect
 - absent P5 rate changes in multiple sclerosis, 19
 - human BAEPs under hydrocortisone, 209
- Recovery cycle
 - facilitation of auditory evoked magnetic fields, 217
- Reference
 - effects of reference electrode site on pattern ERG, 11
- Reflexes
 - transcranial stimulation of the motor tracts, 425
- Reticular formation
 - P1 abnormality of AEPs in Alzheimer's disease, 378
- Retina
 - ERG in multiple sclerosis and optic neuritis, 1
- Sacral reflex
 - peripheral and central pudendal nerve conduction, 260
- Selective attention and SEP mapping, 321
- Sensory convergence
 - cortical SEP 'gating' during movement, 36
- Short latency components
 - early EPs to supraorbital nerve stimulation, 367
 - interstimulus intervals and habituation of SEP, 347
 - mapping SEPs in selective attention, 321
 - median nerve response to magnetic stimulation, 290
 - median nerve stimulation and SEPs in Down's syndrome, 88
 - SEP mapping and parkinsonism, 277
 - sleep effect on SEPs, 105
 - trigeminal SEPs, 271
- Signal-to-noise ratio
 - amplitude analysis of the frequency-following response, 46
- Silent period
 - long-latency reflexes and MEPs in Huntington's disease, 444
- Single trial analysis
 - EP amplitude and latency variability, 228
- Sleep
 - auditory ERPs in sleep apnea, 297
 - effects on short-latency SEPs, 105
- Somatosensory cortex
 - early median nerve magnetic response, 290
- Somatosensory evoked potentials
 - cervical spinal SEPs in pain patients, 175
 - comparison of scalp topographic patterns, 359
 - conduction of spinal cord potentials in man, 161
 - cortical SEP 'gating' during movement, 36
 - early EPs to supraorbital nerve stimulation, 367
 - effect of subdural air collection on SEP monitoring, 194
 - functional deficit in cervical spinal stenosis, 450
 - hypothermia effect on BAEPs and SEPs, 50
 - interstimulus intervals and habituation of SEP, 347
 - mapping early SEPs in selective attention, 321
 - median nerve stimulation and SEPs in Down's syndrome, 88
 - origin and distribution of thalamic SEPs, 186
 - pain-related SEPs and CO₂ laser stimulation, 139
 - peripheral and central pudendal nerve conduction, 260
 - scalp SEPs elicited by femoral nerve stimulation, 112
 - SCBF and axonal function after cord injury, 241
 - SEPs elicited by penile and tibial nerve stimulation, 95
 - short-latency SEP mapping and parkinsonism, 277
 - short-latency trigeminal SEPs, 271
 - sleep effect on short-latency SEPs, 105
 - transcranial stimulation of the motor tracts, 425
 - transcutaneous electrical nerve stimulation and SEPs, 24
 - 3 transverse dipolar generators in human dorsal cord, 236
- Spasticity
 - 3 transverse dipolar generators in human dorsal cord, 236
- Spatial
 - spatial distribution, *see* Topographic mapping
- Spinal cord
 - cervical spinal SEPs in pain patients, 175
 - clip compression of the cord, 241
 - conduction of spinal cord potentials in man, 161
 - effects of spinal cord lesion on rat MEPs, 469
 - functional deficit in cervical spinal stenosis, 450
 - SCBF and axonal function after cord injury, 241
 - strength-duration curve of spinal cord MEPs, 463
 - 3 transverse dipolar generators in human dorsal cord, 236
- Spinocerebellar tract
 - conduction of spinal cord potentials in man, 161
- Supplementary motor area
 - short-latency SEP mapping and parkinsonism, 277
- Supraoptic nerve
 - early EPs to supraorbital nerve stimulation, 367
- Surgery in the sitting position
 - effect of subdural air collection on SEP monitoring, 194
- Synaptic lesion
 - hypothermia effect on BAEPs and SEPs, 50
- Thalamus
 - origin and distribution of thalamic SEPs, 186
- Tibial nerve
 - SEPs elicited by penile and tibial nerve stimulation, 95
- Time-multiplex averaging
 - amplitude analysis of the frequency-following response, 46
- Topographic mapping
 - cervical spinal SEPs in pain patients, 175
 - comparison of scalp topographic patterns, 359
 - early SEPs in selective attention, 321
 - event-related covariances: preparation and feedback, 147
 - event-related covariances: stimulus and response, 58
 - interstimulus intervals and habituation of SEP, 347
 - scalp SEPs elicited by femoral nerve stimulation, 112
 - short-latency SEP mapping and parkinsonism, 277

Transcutaneous electrical nerve stimulation

- effects on SEPs, 24

Trigeminal nerve

- early EPs to supraorbital nerve stimulation, 367
- short-latency trigeminal SEPs, 271

Vision

- VEPs, visual blurring and brain damage, 394
- magnetic stimulation of the human occipital cortex, 458

Visual evoked potentials

- effects of reference electrode site on pattern ERG, 11

- ERG in multiple sclerosis and optic neuritis, 1
- motion onset-offset VEPs in children, 81
- pattern reversal VEP in premature babies, 76
- visual blurring and brain damage, 394
- see also Pattern

Visuomotor task

- event-related covariance: preparation and feedback, 147
- event-related covariance: stimulus and response, 58

Z estimator

- comparison of scalp topographic patterns, 359